


**How to get real time arrival information
and truck tracking system online by V6
ETS?**



Including Free Results Program

The Next Generation Timer

11th September 2014

TOPIGEON

TOPIGEON



Support Information

To be informed of the latest updates and manuals please visit
www.topigeon.com

This Manual was updated
based on version
V 6.0 which was released in
September 2014

To check which versions of software you are using go to the setup Tab





Content

Content	4
Getting Start.....	5
Get a SIM card and preload APN	5
Disable the SIM PIN.....	6
Insert your SIM in V6.....	8
Signal testing	10
Online landing result	12
How to get my Pigeon truck tracking system on line?	14
Preparation Steps	15






Getting Start

This is the guide of using TOPigeon V6 ETS and get your birds arrival information online in real time. To get online information is very easy, you just following the steps below and you can get the TOPigeon cloud server services any time you want.

Get a SIM card and preload APN


You can buy from any of your local wireless operator, with 3G/GPRS transmission capability. Please make sure of the operator's data access setting, such as APN (Access Point Name). The APN setting is essential to the data transmission and needs to preset to your V6 ETS.

There is a small tool from TOPigeon called APN Update which can preload the APN setting to your V6. Please contact your local agent or TOPigeon office for support.



Disable the SIM PIN

Most of the wireless operator will enable SIM PIN when you buy the new SIM (By default is 0000). Please disable the SIM PIN by using your mobile phone. The following is the disable steps on iPhone. There is a similar procedure for Android phone as well. Please go to the **Settings** option and select **Phone**



Select the SIM PIN option.



To Disable the SIM PIN




Insert your SIM in V6

Open the SIM card slot on the back of V6 and pull out the SIM holder.



Insert the SIM to the slot.



Make sure the SIM in the right position.




Lock the SIM in the slot.

Signal testing


When you power on your V6 and you should see the GSM signal bar appears signal.

TOPIGEON



This has no signal meaning that the network is not connected.

TOPIGEON



Please contact your local agent or TOPigeon for support.

Online landing result

After all the setting above and you should be ready for the real time landing result. Please go to TOPigeon English web site: [www. TOPigeon.com](http://www.TOPigeon.com). Select **Country** or **Club**. depends on the V6 SYSID at the right side of the home page.

Please contact your local agent or TOPigeon support for the naming rules. For the SYSID setting please check the Club Manager User Guide for V6.

Set the condition of the landing result, including Club Name, Date Race or Training. Then, you are ready for the real time landing result.

Ranking	Loft	Rang	Arrival Time	Latitude	Longitude	Map
3	9113	17	12:08:11.634	000° 00'00"	000° 00'00"	P
2	9113	17	12:01:12.376	000° 00'00"	000° 00'00"	P
1	9113	17	11:23:44.785	000° 00'00"	000° 00'00"	P



If you have turn on your GPS and each result item can show the detail lading location on the Google map by click on the **MAP** button.

Detail arrival information

Ring	Arrival Time	Latitude	Longitude	Map
27	17:43:48.200	120° 20'53"	022° 40'13"	P
18	17:40:40.621	120° 20'53"	022° 40'13"	P
23	17:40:40.520	120° 20'53"	022° 40'13"	P
1884	17:40:23.848	120° 20'53"	022° 40'13"	P
1883	17:40:23.400	120° 20'53"	022° 40'13"	P
1882	17:40:20.344	120° 20'53"	022° 40'13"	P

Clip the map button

It is so easy! Isn't it?

How to get my Pigeon truck tracking system on line?

Firstly gets the V6 truck tracking system from the TOPigeon. This specialized V6 will be initialized at TOPigeon. When power up this V6, it will transmit GPS signal back to TOPigeon cloud database every two minutes. Then the coordinate will be log into the Google map for fanciers to track. Because the signal transmit constantly you can also calculate the speed of the truck.

Preparation Steps

1. Before you install this V6 on the truck, follow the previous sections procedure to setup the APN correctly and insert the SIM card in V6.



2. Insert the cigarette socket power adopter on the truck. Please note your truck power supply voltage. Normally, for a family car will be provide 12 volt power which you can plug directly but the truck will provide 24 voltages, and then you

TOPIGEON

need a regulator to lower the voltage to 12 volt.





3. Place the GPS antenna on the roof of the truck. Please note that the GPS antenna back site has magnetic device which will help you install easily.
4. Go to TOPigeon truck tracking web site (http://www.topigeon.com.tw/en/show_car.asp) and you will find your specific car and click on it.

